



Elevating The Standard In Architectural Lighting

DRAMA — BY — DESIGN



2019 CATALOG

AURORALIGHT

EST. 1996

We strive to elevate the standard in architectural lighting. We are inspired by the many ways our products help you create extraordinary projects. Our materials, our innovation, and lifetime warranty lead the industry today and will continue to do so for years to come.

We invite you to experience the difference.

Mike Faye





MADE IN THE USA

CONTENTS

| | |
|--------------------|----|
| DIRECTIONAL | 3 |
| UNDERWATER..... | 9 |
| PATH LIGHTING..... | 11 |
| BOLLARDS..... | 21 |
| DOWNLIGHTING..... | 27 |
| CATENARY..... | 33 |
| IN-GRADE..... | 35 |
| WALL & STEP | 41 |
| CUSTOM..... | 49 |
| MOUNTS..... | 51 |
| DURASPLICE | 61 |
| FINISHES..... | 63 |

DIRECTIONAL



12V & 120V



Solid Copper & Brass

Chosen for superior durability and it's thermal properties, our luminaires will endure the harshest of environments.



Thermally Integrated™

Our LED modules feature superior heat management leading to longer life and higher performance.



Storm Drain™

8 Weep holes prevent water from collecting on the lens surface to reduce cleaning and maintenance.



Field Serviceable

LED module can easily be removed without uninstalling the entire fixture.



Notch-less Knuckle

Allows for precision aiming to provide just the right angle to turn good into great lighting.



AMS – Aurora Mount System™

Limitless - The Aurora Mount System not only simplifies mounting the fixtures without twisting any wires, it also provides another plane of adjust-ability.



CYCLOPS

LSL6

- ◆ Interchangeable Acrylic Optics
- ◆ 146-172 Lumens
- ◆ 2 5/8" x 1 5/8"



Finish: BLP

TAOS

HSL11

- ◆ Interchangeable LED and Silicone Optics
- ◆ 53-369 Lumens
- ◆ 6 9/16" x 1 3/4"



Finish: Nickel PVD

TELLURIDE

HSL16-S

- ◆ Interchangeable LED and Acrylic Optics
- ◆ 74-621 Lumens
- ◆ 6 3/8" x 2 1/2"



Finish: BLP-XD

AGAVE

LSL10

- ◆ Interchangeable Silicone Optics
- ◆ 224-299 Lumens
- ◆ 4 1/2" x 1 9/16"

Finish: Nickel PVD



MARINER

SLX16

- ◆ Optimized for LED MR16 Lamps
- ◆ GU5.3 Base
- ◆ 8 7/16" x 2 5/16"

Finish: BLP-XD



SITKA

LSL4

- ◆ Interchangeable Acrylic Optics
- ◆ 1020-1320 Lumens
- ◆ 6" x 3 1/2"

Finish: BLP



QUBE

LQSL

- ◆ Precision Machined Acrylic Optic
- ◆ 145-190 Lumens
- ◆ 4 3/8" x 1 3/4"



Finish: BLP

TELLURIDE

HUL16

- ◆ Interchangeable LED and Acrylic Optics
- ◆ 74-621 Lumens
- ◆ 6" x 2 1/2"



Finish: BLP

SUMATRA

MSL16

- ◆ Optimized for LED MR16 GU-10 Lamps
- ◆ 7 3/4" x 5 3/8"
- ◆ 120V



Finish: BLP

WALLIE

LWW

- ◆ Single, Dual & Triple Acrylic Optics
- ◆ 129-249 Lumens
- ◆ 4 7/8" x 2 3/4"



Finish: Nickel PVD

TELLURIDE

HSL16-R

- ◆ Interchangeable LED and Acrylic Optics
- ◆ 74-621 Lumens
- ◆ 8 1/16" x 2 11/16"



Finish: Natural Brass



UNDERWATER



Amphibious Non-Corrosive Brass

These IP68 rated directional LED luminaires can be installed on dry land or completely submerged.



Thermally Integrated™

Our LED modules feature superior heat management leading to longer life and higher performance.



Storm Drain™

When used on dry land the weep holes prevent water from collecting on the lens surface.



Field Serviceable

LED module can easily be removed without uninstalling the entire fixture.



Easy Aiming

With the optional stand, simply loosen the adjustment knob by reaching down into the water. No tools required.



Tidy Wiring

The optional spool kit provides stow space of slack cord which allows easy field serviceability.



12V



Finish: BLP

SIRENA

H2O11

- ◆ Interchangeable LED and Silicone Optics
- ◆ 53-369 Lumens
- ◆ 5 1/8" in Length (without mount)



Finish: BLP

ARIEL

H2O-P

- ◆ 255-336 Lumens
- ◆ 1 1/2" in Length (without mount)

PATH LIGHTING



*Fixture: HPL6
Finish: Natural*



12V & 120-277V



Infinite Design Possibilities

Nine Shade Styles, Three Wattages, Two Color Temperatures and Two Light Sources.



Solid Copper & Brass

Chosen for superior durability and its thermal properties, our luminaires will endure the harshest of environments.




Field Serviceable

LED module can easily be removed without uninstalling the entire fixture.



Thermally Integrated™

Our LED modules feature superior heat management leading to longer life and higher performance.



LA JOLLA

HPL4

- ◆ Interchangeable LED or Lamp Options
- ◆ 85-123 Lumens
- ◆ 4" Shade Size



Finish: Natural

MADAGASCAR

HPL5

- ◆ Interchangeable LED or Lamp Options
- ◆ 88-127 Lumens
- ◆ 5" Shade Size




Finish: Natural

KALAHARI

HPL6K

- ◆ Interchangeable LED or Lamp Options
- ◆ 92-134 Lumens
- ◆ 6" Shade Size



Finish: Natural

LAGUNA

HPL4B

- ◆ Interchangeable LED or Lamp Options
- ◆ 85-123 Lumens
- ◆ 4" Shade Size



Finish: Natural

LA JOLLA

HPL6

- ◆ Interchangeable LED or Lamp Options
- ◆ 92-134 Lumens
- ◆ 6" Shade Size



Finish: Natural

PL3.5

PL3.5C
PL3.5S
PL3.5T

- ◆ 3 Shade Styles
- ◆ 3 1/2" Shade Size



Finish: Natural

ECLIPSE

HPL7
LPL7

- ◆ Integrated LED or Lamp Options
- ◆ 115-264 Lumens
- ◆ 7" Shade Size



Finish: Natural

SERENGETI

HPL9
LPL9

- ◆ Integrated LED or Lamp Options
- ◆ 116-224 Lumens
- ◆ 9" Shade Size




Finish: BLP

LUCENT

LPL12-L

- ◆ 353 Lumens
- ◆ 12" Shade Size
- ◆ 12V & 120V



Finish: Natural

CORONA

HPL8
LPL8

- ◆ Integrated LED or Lamp Options
- ◆ 120-270 Lumens
- ◆ 8" Shade Size



Finish: Natural

BOREALIS

HPL10
LPL10

- ◆ Integrated LED or Lamp Options
- ◆ 110-299 Lumens
- ◆ 10" Shade Size



Finish: Natural

SAHARA

LPL12-S

- ◆ 353 Lumens
- ◆ 12" Shade Size
- ◆ 12V & 120V



Finish: BLP

QUADRANT

LPL7-SQ

- ◆ Interchangeable LED Light Engine
- ◆ 135-259 Lumens
- ◆ 6 3/4" Shade Size



Finish: BLP

MAGLIO

LMG1-AF

- ◆ Adjustable Light Source and Shield
- ◆ 106 Lumens
- ◆ 1 3/8" x 4 1/8" Top Size



Finish: BLP

MAGLIO

LMG1-T

- ◆ Bi-Directional Aiming
- ◆ 122 Lumens Per Head
- ◆ 1 3/8" x 7" Top Size



Finish: BLP

QUBE

LQPL

- ◆ Precision Machined Acrylic Optics
- ◆ 145-190 Lumens (Per Head)
- ◆ Single and Double Head



Finish: BLP

CORONADO

LBD1

- ◆ 37 Lumens
- ◆ 1 3/8" x 3 6/10" Top Size



Finish: BLP

MAGLIO

LMG1-90
LMG3

- ◆ Adjustable Light Source and Shield
- ◆ 122-212 Lumens
- ◆ 1 3/8" x 3 1/2" or 5 1/4" 2" Top Size



Finish: Natural

CENTINELA

LPL1

- ◆ 181 Lumens
- ◆ 4" Shade Size



Finish: BLP

MERIDIAN

LSW8-PL

- ◆ 25-45 Lumens
- ◆ 4 9/16" x 1 3/8" Top Size




Finish: BLP

AMARYLLIS

FL5

- ◆ 5 Lamp Options
- ◆ 5 1/4" Shade Size




Finish: Natural

SCEPTER

LPL2

- ◆ 173-206 Lumens
- ◆ 2 1/2" or 4 1/8" Shade Size



Finish: BLP

BEL AIR

FL5B

- ◆ 5 Lamp Options
- ◆ 5" Shade Size



Finish: Natural

AMARYLLIS

FL5DBL

- ◆ 5 Lamp Options
- ◆ 11" Total Shade Size



Finish: Natural

BOLLARDS



Fixture: LBD350
Finish: BLP



12V & 120-277V



Solid Copper & Brass

Chosen for superior durability and its thermal properties, our luminaires will endure the harshest of environments.



Field Serviceable

LED light engine can easily be removed without uninstalling the entire fixture.



Thermally Integrated™

LED light engine features superior heat management leading to longer life and higher performance.



Infinite Design Possibilities

Nine Shade Styles, Three Wattages, Two Color Temperatures and Two Light Sources. Complimentary pendants and wall sconces available.

CORE STYLES



Graduated Louvers



Stacked Louvers




No Louvers



ARTEMIS

- ◆ 245-1027 Lumens
- ◆ 8", 10", 11" & 14" Shade Sizes
- ◆ 3 Stem Sizes and Core Styles

LBD250
LBD350
LBD400



Finish: BLP

DOMI

- ◆ 212-976 Lumens
- ◆ 7", 10" & 13" Shade Sizes
- ◆ 3 Stem Sizes and Core Styles

LBD250
LBD350
LBD400



Finish: BLP

CYRANOS

- ◆ 350-803 Lumens
- ◆ 8", 11" & 14" Shade Sizes
- ◆ 3 Stem Sizes and Core Styles

LBD250
LBD350
LBD400



Finish: Nickel PVD

DOMUS

- ◆ 328-803 Lumens
- ◆ 7", 10" & 13" Shade Sizes
- ◆ 3 Stem Sizes and Core Styles

LBD250
LBD350
LBD400



Finish: BLP

PHAROS

- ◆ 143-390 Lumens
- ◆ 4", 5 5/8", & 6 3/4" Shade Sizes
- ◆ 3 Stem Sizes

LBD250
LBD350
LBD400



Finish: BLP

PYRGOS

- ◆ 171-430 Lumens
- ◆ 5 1/4", 7", & 7 1/2" Shade Sizes
- ◆ 3 Stem Sizes

LBD250
LBD350
LBD400



Finish: BLP

EQUINOX

LBD250
LBD350

- ◆ 321-558 Lumens
- ◆ 5" & 7" Shade Sizes
- ◆ 2 Stem Sizes and Core Styles



Finish: Nickel PVD

HERMOSA

LBD-H

- ◆ 61-98 Lumens
- ◆ 2 5/8", 3 1/8", & 3 5/16" Shade Sizes



Finish: BLP

DOWNLIGHTING



*Fixture: HDL11-HL
Finish: Nickel PVD*





Solid Copper & Brass

Chosen for superior durability and its thermal properties, our luminaires will endure the harshest of environments.



Field Serviceable

LED module can easily be removed without uninstalling the entire fixture.



Thermally Integrated™

Our LED modules feature superior heat management leading to longer life and higher performance.



Infinite Design Possibilities

Multiple shroud styles as well as hanging and rigid mounting options.



TAOS



HDL11-HL
HDL11-RM

- ◆ 53-369 Lumens
- ◆ 1 3/4" Diameter
- ◆ 7 Shroud Styles

Finish: BLP & Nickel

TELLURIDE



HRL16

- ◆ Optimized for 2x Framing
- ◆ 74-621 Lumens
- ◆ 2 1/2" Diameter

Finish: Natural

MERIDIAN



LSW8-FL

- ◆ Interchangeable Silicone Optics
- ◆ 105-155 Lumens
- ◆ 2 1/4" Diameter

Finish: Natural Copper

MARINER

DLX16
HLX16



- ◆ Optimized for LED MR16 Lamps
- ◆ 2 5/16" Diameter

Finish: BLP

CYCLOPS

LSL6-DL



- ◆ Interchangeable Acrylic Optics
- ◆ 146-172 Lumens
- ◆ 1 3/4" Tall (From Surface)

Finish: Natural Brass



ARTEMIS

- ◆ 205-496 Lumens
- ◆ 8", 11", 14" & 16"
Shade Sizes

LML250
LML350
LML400



Finish: BLP

EQUINOX

- ◆ 244-431 Lumens
- ◆ 5" & 7 1/2"
Shade Sizes

LML250
LML350



Finish: BLP

CYRANOS

- ◆ 192-610 Lumens
- ◆ 8", 11" & 14" Shade Sizes

LML250
LML350
LML400



Finish: BLP

ZODIAC


- ◆ 501 Lumens
- ◆ 7 1/2" Shade Size

LML350



Finish: BLP

CATENARY



Fixtures: HDL11-RM & HDL11-HL
Finish: BLP





Solid Brass J-Box

Machined from a solid block of C360 Billet Brass on ultra-modern CNC mill-turn lathes.



15° Swivel Pro™ Rigid Mount Option

Allows for rigid attachment of the luminaire while providing up to 15° of cable swag.



Flexibility in Design

Factory assembled to your specifications, with symmetrical or asymmetrical fixture placement.



Three Cable Gauges

Supports cables (by other) up to 1/4" dia. & features a Cable Brake System to prevent luminaire slippage.



Infinite Design Possibilities

Compatible with multiple Auroralight pendant luminaires and various shroud options. Variable pendant cord lengths offer even more flexibility.



IN-GRADE



Fixture: LMWL
Finish: Nickel PVD





Solid Copper & Brass

Chosen for superior durability and it's thermal properties, our luminaires will endure the harshest of environments.



Drive-Over Rated

Our in-grades are engineered and tested to withstand vehicle traffic of 6,000lbs.



Nearly Infinite Aiming

Up to 2" in Depth, up to 45° in Tilt and up to 360° of Spin allow for perfect aiming capability.




Performance Optics

UV stabilized TIR Silicone or Acrylic Optics are available in multiple beam spread options for perfect coverage.



Faceplates

Grills, Flush, Recessed, or Squares; We offer almost everything to provide the desired look.



TERRA COTTA

LWL1

- ◆ Interchangeable Silicone Optics
- ◆ 105-155 Lumens
- ◆ 3" Diameter



Finish: Nickel PVD

SONOMA

LDM250

- ◆ 5 Beam Patterns
- ◆ 14-52 Lumens
- ◆ 2 7/8" Diameter



Finish: BLP

COMPASS

LDM3

- ◆ 3 Beam Patterns
- ◆ 14-65 Lumens
- ◆ 3" Diameter



Finish: Natural Brass

SONOMA

LDM350

- ◆ 5 Beam Patterns
- ◆ 18-70 Lumens
- ◆ 3 1/2" Diameter



Finish: BLP

MICRO-WELL

LMWL

- ◆ Interchangeable Silicone Optics
- ◆ Adjustable Light Source
- ◆ 134-210 Lumens
- ◆ 3 3/4" Diameter



Finish: Nickel PVD

AXIS

LWL4

- ◆ Interchangeable Silicone Optics
- ◆ Adjustable Light Source
- ◆ 260-291 Lumens
- ◆ 4" Diameter



Finish: BLP

MICRO-WELL

LMWL-R

- ◆ Interchangeable Silicone Optics
- ◆ Adjustable Light Source
- ◆ 134-210 Lumens
- ◆ 3 1/4" Diameter



Finish: Natural Brass

LIGHTHAUS


HWL11
LWL5
WL16

- ◆ Interchangeable Silicone Optics
- ◆ Adjustable Light Source
- ◆ 53-497 Lumens
- ◆ 5 3/8" Diameter




Finish: Natural Brass

WALL & STEP



Fixture: LSW4
Finish: BLP





Solid Copper & Brass

Chosen for superior durability and it's thermal properties, our luminaires will endure the harshest of environments.



Nearly Infinite Aiming

Up to 2" in Depth, up to 45° in Tilt and up to 360° of Spin allow for perfect aiming capability.



Performance Optics

UV stabilized TIR Silicone or Acrylic Optics are available in multiple beam spread options for perfect coverage.




Field Serviceable

LED module can easily be removed without uninstalling the entire fixture.



Faceplates

Square, Round, Natural or Nickel; We offer almost everything to provide the desired look.



SONOMA

LDM250

- ◆ 5 Beam Patterns
- ◆ 14-52 Lumens
- ◆ 2 7/8" Diameter



Finish: Natural Brass

SONOMA

LDM350

- ◆ 5 Beam Patterns
- ◆ 14-70 Lumens
- ◆ 3 1/2" Diameter



Finish: BLP

MICRO CASCADE

LSM3

- ◆ 135 Lumens
- ◆ 3" Diameter



Finish: BLP

MERIDIAN

LSW8

- ◆ Interchangeable Silicone Optics
- ◆ 3 Faceplate Options
- ◆ 25-45 Lumens
- ◆ 2 1/4" Diameter



Finish: Natural Brass

POLARIS

LSW16

- ◆ 50-83 Lumens
- ◆ 3 1/2" Diameter




Finish: BLP

AXIS

LSW4

- ◆ 260-291 Lumens
- ◆ 4" Diameter




Finish: BLP

VERTEX

- ◆ 24-51 Lumens
- ◆ 3" x 4 13/16"

LSR3-L
LSR5-L



Finish: BLP and Natural Brass

TAOS

- ◆ Interchangeable LED and Silicone Optics
- ◆ 53-369 Lumens
- ◆ 1 3/4" Diameter
- ◆ 7 Shroud Styles

HWM11




Finish: BLP

TELLURIDE

- ◆ Interchangeable LED and Acrylic Optics
- ◆ 148-1242 Lumens
- ◆ 10 3/4" Tall

HWM16-2




Finish: Nickel PVD

QUBE

LQWM

- ◆ Precision Machined Acrylic Optics
- ◆ 145-380 Lumens
- ◆ 3 3/16" Tall (Single)
- ◆ 4 7/8" Tall (Double)



Finish: BLP

TELLURIDE

HWM16-1

- ◆ Interchangeable LED and Acrylic Optics
- ◆ 74-621 Lumens
- ◆ 6" Tall



Finish: BLP



ARTEMIS

- ◆ 205-331 Lumens
- ◆ 8" & 11" Shade Sizes

LWM250
LWM350



Finish: BLP

EQUINOX

- ◆ 244-431 Lumens
- ◆ 5" & 7 1/2" Shade Sizes

LWM250
LWM350



Finish: BLP

CYRANOS

- ◆ 192-407 Lumens
- ◆ 8" & 11" Shade Sizes

LWM250
LWM350



Finish: BLP

ZODIAC

- ◆ 501 Lumens
- ◆ 5" & 7 1/2" Shade Sizes

LWM350



Finish: BLP

CUSTOM



NOTES
TO FIT ON 4X4 POST
NEEDS WIRING COMPARTMENT
RECESSED AND SURFACE MOUNT?

GROOVES OR
NO GROOVES?



**Step 1: Let's Start a Conversation!**

Working closely with our team, all necessary information is gathered to ensure the best design options for your project. The key to our success is detailing the required design elements, product specifications, project time-line, and budget.

**Step 2: Drawings and Prototypes**

Utilizing computer modeling software, we can create your design and bring it to life on screen and give you the ability to see your design even before the prototype is made. Once reviewed and approved we can move to 3D Printing a working prototype.

**Step 3: CNC Machining & Assembly**

Once approved and a confirming purchase order issued, the project can be scheduled for production. Utilizing state of the art CNC 5 Axis Machinery, your new custom design is precision cut and assembled to your exacting specifications.



MOUNTING





Fit and Finish

Cover plates, surface mounts and extension systems provide a clean finished look on all of your projects.



Rock Solid Ground Mounts

From our basic ground stakes to our most rugged trident spikes, install our fixtures with confidence.




Adjustable Risers

Reduce system maintenance by allowing fixtures to adjust upward as the landscape matures around it.



AMS – Aurora Mount System™

Limitless - The Aurora Mount System not only simplifies mounting the fixtures without twisting any wires, it also provides another plane of adjust-ability.



MOUNTING

BOLT

BTM

- ◆ Depth Control for Tree Growth
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



SCREW

STM

- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



STRAP

T/S-LD
T/S-HD


- ◆ UV Stabilized EPDM Rubber Straps
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



MULTI-POINT

PTM

- ◆ Dual Strap System For Palm Tree Installations
- ◆ Up to Five Mounts (10 fixtures)
- ◆ 1/2" NPS and AMS Compatible




MOUNTING

MOUNT CANOPY

MC45

- ◆ Fits 3/0 and 4/0 Boxes
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



POWER CANOPY

PC

- ◆ Fits 3/0 and 4/0 Boxes
- ◆ Integral Transformer
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



JUNCTION BOX

SMJB

- ◆ 3 or 5 KO
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



COVER PLATE

CP4
CP45

- ◆ Fits 3/0 and 4/0 Boxes
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



COVER PLATE

CP3x5
C/P

- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



SURFACE MOUNT

SM2
SM3

- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



MOUNTING

JUNCTION BOX

JB3
P/B

- ◆ Integral Transformer Option
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



PEDESTAL MOUNT

P/M

- ◆ For Concrete Installations
- ◆ Integral Transformer Option
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



SPIKES

- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible

D/S
T/R
BMS



STAKES

- ◆ Over 12 Variations
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible

G/S



MOUNTING

FIXED

FR

- ◆ 5 Fixed Sizes (Custom Sizes Available)
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



EXTENSION SYSTEM

ES

- ◆ 3 Configurations and 7 Sizes
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



TELESCOPIC

STANDARD
HD

- ◆ 5 Standard and 2 Heavy Duty Sizes
- ◆ Custom Sizes Available
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



SUBTERRANEAN

STR

- ◆ Fully or Semi Buried Adjustable Riser
- ◆ 1/2" NPS Threaded Hole
- ◆ AMS Compatible



DURASPLICE®



Solid Copper

Each connector is precision machined from solid copper at our factory here in the USA. Available in two sizes (DT1 and DT3) to accommodate multiple connections and wire gauges.



Superior Conductivity

Unlike other connectors that use aluminum, we selected copper for its superior conductivity. Each solid copper connector features one to three stainless steel set screws to retain the wires.



Stronger Connection

More reliable than traditional twist-on wire nuts. Simply torque the set screws tightly onto the wires. Never worry about connectors falling off. Silicone-filled caps are designed for direct burial.




Easy to Use



Patented system includes a threaded cap allows you to easily hold the connector with one hand while tightening the hex screw with the other. To make things even easier, we have included the proper tool for the job inside each jar of connectors. To test the voltage, simply pierce the end of the cap with a volt meter.



US Patents:
8,552,296 B2
9,559,435 B2



To test the voltage, simply pierce the end of the cap with a Volt Meter.





DURA-TORQUE®

DT3

- ◆ #18-#8 AWG, Dozens of Combinations
- ◆ Solid Copper Triple-Port Connector
- ◆ Silicone Filled Cap for Direct Burial




DURA-TORQUE®

DT1


- ◆ #18-#10 AWG
- ◆ Solid Copper Single-Port Connector
- ◆ Silicone Filled Cap for Direct Burial

FINISHES

NATURAL



Copper




Brass

Expect Natural Copper to darken 30-45 days after installation and to eventually acquire a warm red hue; Natural Brass will darken towards mellow shades of amber. Given the proper conditions, a beautiful verdigris will develop after a few years time.

BLP



BLP




BLP-XD

Our Bronze Living Patina (and BLP Extra Dark) is an accelerated patina finish. This allows for a more consistent and predictable look in newly-installed fixtures without sacrificing the beauty that comes with natural aging. Our BLP finishes feature a light wax coating that allows a gradual, natural oxidation to occur over time.

PVD



Nickel



Black

PVD finish is applied through a state-of-the-art Physical Vapor Deposition process. When applied over solid copper and brass, the look is very similar to stainless steel.

CUSTOM



For custom colors, including powder coating, contact factory.

PATINA PROCESS

The formation of patina on copper happens when oxygen in the air interacts with the metal atoms in the presence of water.

Salt water, fertilizers and humidity will dictate the rate of patina formation. The faster a chemical reaction is, the more patina will form.

Patina has different colors and patterns that depend on the unique environment and experience the fixture has had.

PATINA PROGRESSION

Results may vary depending on environment, material, and location.





**Call or Visit Our Website
For More Info!**

(877) 942-1179

auroralight.com

Made in the USA

